



PRICE LIST  
W.E.F 01.01.2026

AN IS/ISO 9001 : 2015 COMPANY

# Superlite®


WIRES & CABLES

THE LIFELINE OF EVERY HOUSE HOLD & INDUSTRY

IS : 694



CM/L-8700116011





AN IS/ISO 9001:2015 COMPANY



WIRES &amp; CABLES

## PRICE LIST W.E.F. FROM 01-01-2026

**HR FR**  
FLAME RETARDANT  
WIRE

1 Superlite CABLES Multistrand Wire - 90Mtrs <b>HR FR</b>				
SIZE IN SQ. MM. (BOX PACKING)	NO. OF STRANDS & SIZE OF STRAND	AMPS	MASTER PACKING	SINGLE CORE UNSHEATHED PRICE PER COIL
1.00	14/0.3	11	24	2500
1.50	22/0.3	13	15	3900
2.50	36/0.3	18	12	6500
4.00	56/0.3	24	8	9900
6.00	84/0.3	33	6	14900

Superlite CABLES Multistrand Wire (Pouch Pack) - 45 Mtrs <b>FR</b>			
SIZE	PRICE PER COIL	SIZE	PRICE PER COIL
1.00	1250	4.00	4950
1.50	1950	6.00	7450
2.50	3250		

2 Superlite CABLES Multistrand House Hold & Industrial Cable For Fixed Wiring - 90 Mtrs <b>FRLS-H</b>				
SIZE IN SQ. MM. (BOX PACKING)	NO. OF STRANDS & SIZE OF STRAND	AMPS	NEAREST EQUIVALENT SIZE	SINGLE CORE UNSHEATHED PRICE PER COIL
1.00	14/0.3	11	1/18	2600
1.50	22/0.3	13	3/22	4000
2.50	36/0.3	18	3/20	6600
4.00	56/0.3	24	7/20	10100
6.00	84/0.3	33	7/18	15200

## PROJECT PACKING



3 Superlite CABLES Multistrand Wire (Project Packing) <b>FRLS-H</b>				
SIZE IN SQ. MM. (BOX PACKING)	NO. OF STRANDS & SIZE OF STRAND	AMPS	SINGLE CORE UNSHEATHED. PRICE PER COIL	
			180 Mtrs	450 Mtrs
1.00	14/0.3	11	4900	12250
1.50	22/0.3	13	7700	19250
2.50	36/0.3	18	12800	32000
4.00	56/0.3	24	19600	49000
6.00	84/0.3	33	29600	74000

4 Superlite CABLES SOLID SINGLE CORE COPPER CONDUCTOR WIRE 1100 VOLTS-90 Mtrs <b>FRLS-H</b>		
SIZE IN SQ. MM.	MM	PRICE PER COIL
1.5 MM <sup>2</sup>	1/1.38	4000
2.5 MM <sup>2</sup>	1/1.78	7200
4 MM <sup>2</sup>	1/2.24	11000
6 MM <sup>2</sup>	1/2.78	17000
10 MM <sup>2</sup>	1/3.55	29800

5 Superlite CABLES SOLID STRANDED WIRE - 90 Mtrs				
SIZE IN SQ. MM.	NO. OF STRANDS & SIZE OF STRAND	NEAREST EQUIVALENT SIZE	AMPS	SINGLE CORE UNSHEATHED PRICE PER COIL
1.00	1/0.44	1/18	5	2800
1.50	3/0.29	3/22	10	3800
2.50	3/0.36	3/20	15	5400
4.00	7/0.36	7/20	28	12000
6.00	7/0.44	7/18	36	19000
10.00	7/0.54	7/17	45	29000
16.00	7/0.64	7/16	53	40000
25.00	19/0.44	19/18	71	52000
35.00	19/0.64	19/16	91	110000
50.00	19/0.83	19/14	120	180000
70.00	37/0.64	37/16	161	210000
120.00	37/0.83	37/14	200	350000

6 Superlite CABLES FLEXIBLE CORD CABLES - 90 Mtrs		
SIZE	DESCRIPTION	PRICE PER COIL
23/0052	TWIN FLAT	1600
23/0052	TWIN PARALLEL	1600
23/0060	TWIN FLAT	2200
23/0052	2 CORE ROUND	2700
23/0052	3 CORE ROUND	3900
40/0052	2 CORE ROUND	4400
40/0052	3 CORE ROUND	6600

7 Superlite CABLES P.V.C. FLEXIBLE WIRE (TWIN TWISTED)		
SIZE	DESCRIPTION	PRICE PER COIL
10/0076	10/36	1650
14/0040	14/42	980
14/0052	14/39	1500
14/0076	14/36	2300
23/0040	23/42	1500
23/0052	23/39	2400
23/0076	23/36	3900
40/0040	40/42	2600
40/0052	40/39	4100
40/0076	40/36	7300

8 Superlite CABLES TRANSPARENT SPEAKER WIRE - 90 MTS.			
SIZE	PRICE PER COIL	SIZE	PRICE PER COIL
23/40	1900	23/76	4400
23/60	2700	40/76	7900

9 Superlite CABLES COPPER PVC SHEATHED (WHITE) CTS WIRE		
SIZE	DESCRIPTION	PRICE PER COIL
3/20	3/0.36 (WHITE)	5400
7/20	7/0.36 (WHITE)	12500

**10 Superlite CABLES** PVC INSULATED SINGLE CORE & MULTI CORE FLEXIBLE CABLE UPTO & INCLUDING 1100 VOLTS GRADE, FRLS-H (1.1 KV)-90 MTRS (Sheathed) (Also Available in - 500 MTRS) 

SIZE IN SQ. MM.	AMPS	SIZE IN (MM)	SINGLE CORE UNSHEATHED	TWO CORE (SHEATHED)	THREE CORE (SHEATHED)	FOUR CORE (SHEATHED)	FIVE CORE (SHEATHED)	SIZE IN SQ.MM.
0.50	4	(16/0.20) 10/0.25	1400	3700	5500	7200	-	0.50
0.75	7	(24/0.20) 15/0.25	2050	4800	6700	8800	-	0.75
1.00	11	20/0.25	2500	6150	8500	11200	13800	1.00
1.50	14	30/0.25	3900	8500	12200	15700	20000	1.50
2.50	19	50/0.25	6500	13800	18800	24600	33000	2.50
4.00	26	56/0.30	9900	21200	30800	42300	53000	4.00
6.00	33	84/0.30	14900	32800	48000	63300	80000	6.00
10.00	45	140/0.30	24500	54000	80000	104000	132000	10.00
16.00	60	101/0.45	39000	78000	116000	154000	194000	16.00
25.00	75	157/0.45	60000	126000	188000	246000	312000	25.00
35.00	95	220/0.45	86000	-	267000	358000	452000	35.00
50.00	125	314/0.45	122000	-	381000	508000	-	50.00
70.00	170	440/0.45	171000	-	542000	710000	-	70.00
95.00	210	597/0.45	210000	-	-	940000	-	95.00
120.00	235	755/0.45	267000	-	-	1230000	-	120.00
150.00	295	945/0.45	344000	-	-	-	-	150.00
185.00	330	1162/0.45	424000	-	-	-	-	185.00
240.00	400	1508/0.45	560000	-	-	-	-	240.00
300.00	475	1885/0.45	702000	-	-	-	-	300.00
400.00	500	2514/0.45	1015000	-	-	-	-	400.00

No. of Cores	0.5 sq.mm (10/0.25)	0.75 sq.mm (15/0.25)	1.0 sq.mm (20/0.25)	1.5 sq.mm (30/0.25)	2.5 sq.mm (50/0.25)	4 sq.mm (56/0.30)	6 sq.mm (84/0.30)	No. of Cores
6 Core	9450	13000	17000	25000	40000	67000	96000	6 Core
7 Core	-	-	-	28500	46500	-	-	7 Core
8 Core	12000	17500	22500	33000	52500	88500	-	8 Core
10 Core	15000	21500	27500	40500	66000	110000	-	10 Core
12 Core	18000	25500	33000	47500	79000	130000	-	12 Core
16 Core	24000	33500	44000	64500	104000	-	-	16 Core
19 Core	28000	40500	51000	76000	123000	-	-	19 Core
24 Core	36000	51000	65000	95000	157000	-	-	24 Core
30 Core	44000	-	82000	-	-	-	-	30 Core
37 Core	55000	-	100000	146000	-	-	-	37 Core

**SPECIAL CABLE 10Sq.mm x 6 Core Rate per Mts 1800.00 also Available**

**11 Superlite CABLES** MULTICORE PVC INSULATED, MYLER TAPPED (ATC) BRAIDED SHIELDED CABLES - 90 Mtrs. (Also Available in 500 Mtrs. Length) 

NO. OF CORES	0.25 SQ.MM (7/0.2 MM)	0.5 SQ.MM (14/0.2 MM)	0.75 SQ.MM (15/0.2 MM)	1.0 SQ.MM (20/0.25 MM)	1.5 SQ.MM (30/0.25 MM)	2.5 SQ.MM (50/0.25 MM)	4 SQ.MM (56/0.3 MM)	NO. OF CORES
2	4200	7300	8700	10100	14200	23400	35600	2
3	5300	9700	12000	14200	19600	32000	49400	3
4	7300	11200	16000	17600	24600	42000	63000	4
5	9000	14200	19800	22000	31000	52600	-	5
6	11500	17400	24000	28000	39000	62000	-	6
8	15000	23000	32000	36400	51000	76000	-	8
10	19000	29000	40000	44000	66000	-	-	10
12	24000	36000	48000	50600	77000	-	-	12
16	30000	48000	56400	68400	103000	-	-	16
19	-	57000	68000	80000	120000	-	-	19
24	-	69000	83000	100000	150000	-	-	24

**12 Superlite CABLES** CO-AXIAL CABLES IMPORTED CORE WITH JELLY FILLED C.C.A.

SQ. MM	DESCRIPTION	PRICE PER COIL	
		COPPER	C.C.S.
R.G. -6	Heavy (90 mts)	3700	1650
R.G. -6	Drum (305 mts)	-	5900
R.G. -11	Drum (305 mts)	-	14700

**13 Superlite CABLES** WATER LEVEL CONTROL CABLE (7/0.2MM) PVC PER METER

4 Core	28	10 Core	70
6 Core	42	12 Core	84

**14 Superlite CABLES** SUBMERSIBLE CABLES (3 CORE FLAT) FRLS 

SQ. MM	AMPS	DESCRIPTION SIZE	PRICE PER METER
1.5	22/0.3	14	144
2.5	36/0.3	19	230
4	56/0.3	29	340
6	84/0.3	31	500
10	140/0.3	42	840
16	101/0.45	57	1320
2.5 sqmm		4 Core Flat	320
4 sqmm		4 Core Flat	500

15		ALUMINIUM VIR WIRE (UNSHEATHED) - 90 MTRS		
		CABLES		
SIZE	SQ.MM	DESCRIPTION	PRICE PER COIL	
3/20	2.5	3/036	710	
7/20	4	7/036	1400	
7/18	6	7/044	2100	
7/17	10	7/054	3000	
7/16	16	7/064	4100	
7/14	25	7/083	6900	
19/16	35	19/064	11000	

16		ALUMINIUM SINGLE CORE WIRE (AVAILABLE IN BLACK COLOUR ONLY)	
		CABLES	
SIZE	PRICE PER MTR	SIZE	PRICE PER MTR
35 Sq.mm.	110	95 Sq.mm	310
50 Sq.mm	160	120 Sq.mm	400
70 Sq.mm	230		

17		HOOK-UP WIRES - 90 MTS	
		CABLES	
SIZE	DESCRIPTION	PRICE PER COIL	
1/022	BARE COPPER	800	
7/0.2	TINNED COPPER	800	
14/0.2	TINNED COPPER	1250	

18		C.C.T.V. CABLES (COPPER) - 90 MTR	
		CABLES	
SIZE	PRICE PER COIL		
3 + 1	3600		

19		WELDING CABLE ELASTOMERIC GENERAL SERVICE (V.I.R. / TRS) (HOFR)	
		CABLES	
AMPS	SQ.MM	NO. OF WIRES / DIA	PRICE PER MTR
200	25	350/0.3	880
300	35	500/0.3	1220
400	50	700/0.3	1700
600	70	1000/0.3	2400
800	95	1350/0.3	3200

20		TWIN CORE ALUMINIUM			
		CABLES			
SIZE	SQ.MM	DESCRIPTION	MTS	PRICE PER COIL	
3/042	2.5	TWIN CORE (Aluminium)	BLACK 100	3500	
7/032	4.0	TWIN CORE (Aluminium)	BLUE 400	14000	
7/044	6.0	TWIN CORE (Aluminium)	BLACK 400	21000	
7/054	10.0	TWIN CORE (Aluminium)	BLUE 400	32500	
7/062	16.0	TWIN CORE (Aluminium)	BLUE 400	34500	

21		P.T.F.E. INSULATED CABLES 'E' 600 VOLTS (TEFLON) SILVER COATED	
		CABLES	
SIZE	SQ.MM	AMPS	PRICE PER MTR
20/09/32	0.5	6	56
18/19/30	1.0	12	66
15/19/28	1.5	15	130
13/19/26	2.5	20	162
11/19/24	4.0	40	245
10/18/22	6.0	48	400

22		SOLAR CABLE UV PROTECTION	
		CABLES	
SIZE	DESCRIPTION	PRICE PER MTR	
4.0 Sq.mm	56/0.3 mm	126	
6.0 Sq.mm	84/0.3 mm	186	

23		FIBRE GLASS CABLES (TINNED COPPER)	
		CABLES	
SIZE	AMPS	PRICE PER MTR	
1 MM <sup>2</sup>	10	53	
1.5 MM <sup>2</sup>	16	75	
2.5 MM <sup>2</sup>	20	124	
4 MM <sup>2</sup>	27	190	
6 MM <sup>2</sup>	34	290	
10 MM <sup>2</sup>	44	490	
16 MM <sup>2</sup>	51	780	
25 MM <sup>2</sup>	71	1180	
35 MM <sup>2</sup>	90	1660	
50 MM <sup>2</sup>	120	2360	
70 MM <sup>2</sup>	165	3330	
95 MM <sup>2</sup>	200	4540	

24		TELEPHONE CABLES (UNARMoured) TAPPED WITH TINNED COPPER FR PVC - 90 MTRS	
		CABLES	
NO. OF PAIRS	PRICE PER COIL		
2 PAIR	2400		
FROM 3 PAIR TO 100 PAIR (PRICE PER PAIR)	1100		

25		NET WORKING / LAN CABLE	
		CABLES	
CAT 6e+	100 MTR	6600	
CAT 6e+	305 MTR	18400	
CAT 6e Outdoor Cable	305 MTR	20000	

26		RUBBER INSULATED & SHEATHED (HOFR) COPPER CONDUCTOR FLEXIBLE CABLES	
		CABLES	
SIZE	3 CORE	4 CORE	
1.50	230	300	
2.50	360	476	
4.00	-	680	
10.00	-	1700	
16.00	-	2600	

27		MIC CABLE (90 MTRS)	
		CABLES	
SIZE	PRICE PER COIL		
19/40	3900		

28		CAT -6 TRAVELLING CABLE	
		CABLES	
TYPE	PRICE PER MTR		
CAT-6 TRAVELING CABLE	150		

29		ALUMINIUM ARMoured U.G CABLE	
		CABLES	
SIZE	2 CORE	4 CORE	
10 Sq.mm	136	196	
16 Sq.mm	160	250	
25 Sq.mm	-	356	
35 Sq.mm	-	470	
50 Sq.mm	-	630	

30		FIRE ALARM CABLE (COPPER ARMoured)	
		CABLES	
SIZE	2 CORE		
1.5 Sq.mm	110		

Note :- 1. GST as applicable shall be charged extra.  
2. This cancels all our previous price lists.  
3. The prices are subject to change without prior notices.

Mfg. By : Midland Appliances Pvt. Ltd.  
J-40, Sector-63, Noida UP 201307 India